



AN INTAKE MODIFIER SUPPLEMENT FOR CATTLE ON GRASS

PURINA® ACCURATION® RANGE SUPPLEMENT 33

CAUTION: Use only as directed.
 Intended for feeding beef cattle only.

MINERAL / VITAMIN

LEVEL

MINERAL / VITAMIN

LEVEL

Crude Protein (Min)	33.00%	Salt (NaCl) (Min)	4.50%
<i>This includes no more than 20% equivalent crude protein from non-protein nitrogen</i>		Salt (NaCl) (Max)	5.50%
Crude Fat (Min).....	8.00%	Potassium (K) (Min)	0.30%
Crude Fiber (Max).....	5.00%	Selenium (Se) (Min)	1.00 ppm
Calcium (Ca) (Min)	1.50%	Vitamin A (Min)	12,000 IU/lb
Calcium (Ca) (Max)	2.00%	Ruminant meat and bone meal free.	
Phosphorus (P) (Min)	1.00%		

QUALITY CONTROLLED BY PURINA RESEARCH

DIRECTIONS:

Self-feed to cattle consuming fair and poor quality forage. ACCURATION® RANGE SUPPLEMENT 33 is formulated to limit consumption so that cattle will not overeat and receive more than 1/3 total protein from non-protein nitrogen.

IMPORTANT:

This product is to be fed only to the animal species as directed on this label. Follow these management practices.

1. When this product is manufactured in the bulk-meal form it is recommended that it be stored in flat storage.
2. When making a ration change, allow 7-10 days for animals to adjust to the new ration.
3. Provide adequate feeder space for each animal. Feeders should be well protected and well managed to prevent feed from becoming wet and molding. Do not allow fines to accumulate in feed trough. Never allow the feeder to run empty or to develop flow problems.
4. Consumption of the Accuration® Range Supplement 33 grain mix will vary according to location of the feeder, forage quality and quantity, as well as the age and weight of the animal.
5. Position the feeder with the Accuration® Range Supplement 33 grain mix away from loafing areas (i.e., water, hay or sheltered areas) to reduce the consumption of the mixed feed, closer to loafing areas to increase the consumption of the mixed feed.
6. Poorer quality forage will increase intake of the accuration range supplement 33 grain mix, while better quality forage will decrease its intake. Likewise, limited quantities of forage will increase intake of the Accuration® Range Supplement 33 grain mix, while unlimited quantities of forage tend to decrease its intake.
7. Never feed moldy or spoiled feeds, including hay and haylages or silages.
8. Cattle must have consumed hay and/or other high roughage dry feed prior to being fed the accuration range supplement 33 mix for the first time.
9. Do not provide starved cattle free access to the Accuration® Range Supplement 33 mix.
10. Provide source of mineral free choice.
11. Provide a source of fresh, clean water at all times.
12. Consult your veterinarian for recommended health program for your local area.

CAUTION: Store in dry area away from insects. Do not feed moldy or insect-Infested feed to animals as it may cause illness, abortion or death.



AN INTAKE MODIFIER SUPPLEMENT FOR CATTLE ON GRASS

PURINA[®] ACCURATION[®] RANGE SUPPLEMENT 33

A non-salt limiting meal supplement when fed according to recommendations balances the nutritional deficiencies in fair-quality forages (native or improved grass hay) or poor-quality forage (dormant grasses or crop residues). Designed specifically for the cow, heifer development, growing stockers or yearlings, bull conditioning prior to breeding, bull development and even creep feeding.

FEATURE **BENEFIT**



IM (Intake Modifying) Technology[®] causes cattle to consume multiple small snacks daily of the supplement, which optimized the flow of nutrients to the digestive system, thereby increasing forage intake, overall utilization and cattle performance.

Convenience – Peace of Mind	Over 30 years of Purina research has gone into the formulation of Accuration [®] so that it will dependably control intake based on forage quality and the cattle's nutritional requirements. Cattle get the nutrition they need every day.
Limits intake effectively – Saves Feeding Cost	Because Accuration [®] is offered to cattle free-choice in self-feeders, it is available 24 hours per day, 7 days per week. This decreases delivery cost of supplementation (labor & vehicle cost) compared to hand feeding on a daily or every other day basis.
Improves Forage Utilization	Our research shows a 15-20% increase in grazing time and forage intake for cattle on Accuration [®] versus a conventional hand-fed supplement. So you more effectively utilize your greatest resource—your grass or hay.
Flexible	Customize rations for different classes of cattle (calves, stockers, bulls, heifers, or cows) and program or performance needs using the same base product.
Predictable Performance	Because Accuration [®] intake is driven by forage quality and cattle requirements, cattle will consume it to provide the nutrition they need when things such as forage quality, weather, stress, and the stage of production changes. Intake changes, but performance stays constant.

PRODUCT CODE	MEDICATION	BAG/BULK	SIZE DIAMETER
0044901	—	Bulk	Meal
0044902	—	Bag	Meal
0044903	—	Bulk	Proc-Pel 5/32-11/64
0044913	—	Tote	Meal
0044910	RM130	Bulk	Meal
0044909	RM130	Bag	Meal
0044911	RM130	Bulk	Proc Pel 5/32-11/64
0044912	RM130	Bulk	Pellet 5/32-11/64
0044905	BVT130	Bulk	Meal
0044904	BVT130	Bag	Meal
0044906	GP 16	Bag	Meal
0044914	AU 300	Bulk	Meal